

```
1 # Database table and default values creation for LULOP2
2 # Jukka Paasonen
3 # 21/06/2005
4 # 2.0beta7
5
6 CREATE TABLE l2_assets (
7     mimetype varchar(60) primary key,
8     name varchar(30) not null unique,
9     hname varchar(40) not null,
10    extensions varchar(30) not null,
11    allowuse tinyint(1) not null default 0,
12    moreinfo varchar(200) not null,
13    INDEX (allowuse)
14 ) ENGINE=InnoDB;
15
16
17 INSERT INTO `l2_assets` VALUES ('application/atom+xml', 'Atom_XML', 'Atom XML', 'atom',
18 0, 'www.atom.org');
19 INSERT INTO `l2_assets` VALUES ('application/beep+xml', 'beep+xml', '', '', 0, '');
20 INSERT INTO `l2_assets` VALUES ('application/cnrx+xml', 'cnrx+xml', '', '', 0, '');
21 INSERT INTO `l2_assets` VALUES ('application/cpl+xml', 'cpl+xml', '', '', 0, '');
22 INSERT INTO `l2_assets` VALUES ('application/mathml+xml', 'mathml+xml', '', '', 0, '');
23 INSERT INTO `l2_assets` VALUES ('application/ogg', 'ogg_vorbis', 'Ogg Vorbis audio, OGM
24 video/audio packet', 'ogg, ogm', 1, 'www.vorbis.org');
25 INSERT INTO `l2_assets` VALUES ('application/pdf', 'acrobat_pdf', 'Adobe Acrobat PDF',
26 'pdf', 1, 'www.adobe.com');
27 INSERT INTO `l2_assets` VALUES ('application/postscript', 'postscript', 'Postscript',
28 'ps', 0, 'www.postscript.org');
29 INSERT INTO `l2_assets` VALUES ('application/rdf+xml', 'rdf+xml', '', '', 0, '');
30 INSERT INTO `l2_assets` VALUES ('application/reginfo+xml', 'reginfo+xml', '', '', 0,
31 '');
32 INSERT INTO `l2_assets` VALUES ('application/srgs+xml:grxml', 'srgs+xml:grxml', '', '',
33 0, '');
34 INSERT INTO `l2_assets` VALUES ('application/voicexml+xml', 'voicexml+xml', '', '', 0,
35 '');
36 INSERT INTO `l2_assets` VALUES ('application/watcherinfo+xml', 'watcherinfo+xml', '',
37 '', 0, '');
38 INSERT INTO `l2_assets` VALUES ('application/x-bittorrent', 'bittorrent', 'BitTorrent',
39 'torrent', 0, 'www.bittorrent.com');
40 INSERT INTO `l2_assets` VALUES ('application/x-compress', 'compress', '', '', 0, '');
41 INSERT INTO `l2_assets` VALUES ('application/x-dvi', 'dvi', '', '', 0, '');
42 INSERT INTO `l2_assets` VALUES ('application/x-futuresplash', 'futuresplash', '', '', 0,
43 '');
44 INSERT INTO `l2_assets` VALUES ('application/x-gtar', 'gtar', '', '', 0, '');
45 INSERT INTO `l2_assets` VALUES ('application/x-gzip', 'gzip', '', '', 0, '');
46 INSERT INTO `l2_assets` VALUES ('application/x-shockwave-flash', 'shockwave-flash', '',
47 '', 0, '');
48 INSERT INTO `l2_assets` VALUES ('application/x-stuffit', 'stuffit', '', '', 0, '');
49 INSERT INTO `l2_assets` VALUES ('application/x-tar', 'tar', '', '', 0, '');
50 INSERT INTO `l2_assets` VALUES ('application/xml', 'xml', '', '', 0, '');
51 INSERT INTO `l2_assets` VALUES ('application/xml-external-parsed-entity',
52 'xml_application_entity', '', '', 0, '');
53 INSERT INTO `l2_assets` VALUES ('application/zip', 'zip', 'zip', 'zip', 0,
54 'www.winzip.com');
55 INSERT INTO `l2_assets` VALUES ('audio/basic', 'basic', '', '', 0, '');
56 INSERT INTO `l2_assets` VALUES ('audio/midi', 'midi', '', '', 0, '');
57 INSERT INTO `l2_assets` VALUES ('audio/mp4a-latm', 'mp4a-latm', '', '', 0, '');
58 INSERT INTO `l2_assets` VALUES ('audio/mpa', 'mpeg_audio', 'Mpeg Audio', 'mpa, mpg,
59 mpeg', 1, 'www.mpeg.org');
60 INSERT INTO `l2_assets` VALUES ('audio/mpa-robust', 'mpa-robust', '', '', 0, '');
61 INSERT INTO `l2_assets` VALUES ('audio/mpeg', 'mpeg_audio_video', 'Mpeg audio', 'mpa',
62 1, 'www.org');
63 INSERT INTO `l2_assets` VALUES ('audio/pcma', 'pcma', '', '', 0, '');
64 INSERT INTO `l2_assets` VALUES ('audio/pcmu', 'pcmu', '', '', 0, '');
65 INSERT INTO `l2_assets` VALUES ('audio/x-aiff', 'aiff', '', '', 0, '');
66 INSERT INTO `l2_assets` VALUES ('audio/x-pn-realaudio', 'realaudio', '', '', 0, '');
67 INSERT INTO `l2_assets` VALUES ('audio/x-wav', 'waveaudio', 'Wave audio', 'wav', 1,
68 'www.com');
69 INSERT INTO `l2_assets` VALUES ('image/bmp', 'bitmapimage', 'Bitmap Image', 'bmp', 1,
70 'www.bmp.com');
71 INSERT INTO `l2_assets` VALUES ('image/gif', 'gifimage', 'Gif image', 'gif', 1, '');
72 INSERT INTO `l2_assets` VALUES ('image/jpeg', 'jpegimage', 'Jpeg image', 'jpg, jpe, jpeg',
73 1, 'www.jpeg2000.org');
74 INSERT INTO `l2_assets` VALUES ('image/png', 'pngimage', 'Png image', 'png', 1,
75 'www.org');
76 INSERT INTO `l2_assets` VALUES ('image/svg+xml', 'svg+xml', '', '', 0, '');
```

```

58 INSERT INTO `l2_assets` VALUES ('image/tiff', 'tiff', '', '', 0, '');
59 INSERT INTO `l2_assets` VALUES ('image/tiff-fx', 'tiff-fx', '', '', 0, '');
60 INSERT INTO `l2_assets` VALUES ('image/x-rgb', 'rgb', '', '', 0, '');
61 INSERT INTO `l2_assets` VALUES ('image/x-xbitmap', 'xbitmap', '', '', 1, '');
62 INSERT INTO `l2_assets` VALUES ('image/x-xpixmap', 'xpixmap', '', '', 0, '');
63 INSERT INTO `l2_assets` VALUES ('image/x-xwindowdump', 'xwindowdump', '', '', 0, '');
64 INSERT INTO `l2_assets` VALUES ('text/plain', 'plain_text', '', '', 0, '');
65 INSERT INTO `l2_assets` VALUES ('text/xml', 'xml_text', '', '', 0, '');
66 INSERT INTO `l2_assets` VALUES ('text/xml-external-parsed-entity', 'xml_text_entity',
'', '', 0, '');
67 INSERT INTO `l2_assets` VALUES ('video/bmpeg', 'bmppeg_video', '', '', 0, '');
68 INSERT INTO `l2_assets` VALUES ('video/dv', 'dv_video', '', '', 0, '');
69 INSERT INTO `l2_assets` VALUES ('video/h261', 'h261_video', '', '', 0, '');
70 INSERT INTO `l2_assets` VALUES ('video/h263', 'h263_video', '', '', 0, '');
71 INSERT INTO `l2_assets` VALUES ('video/h263-1998', 'h263-1998_video', '', '', 0, '');
72 INSERT INTO `l2_assets` VALUES ('video/h263-2000', 'h263-2000_video', '', '', 0, '');
73 INSERT INTO `l2_assets` VALUES ('video/jpeg', 'jpeg_video', '', '', 0, '');
74 INSERT INTO `l2_assets` VALUES ('video/mp1s', 'mp1s_video', '', '', 0, '');
75 INSERT INTO `l2_assets` VALUES ('video/mp2p', 'mp2p_video', '', '', 0, '');
76 INSERT INTO `l2_assets` VALUES ('video/mp2t', 'mp2t_video', '', '', 0, '');
77 INSERT INTO `l2_assets` VALUES ('video/mp4v-es', 'mp4v-es_video', '', '', 0, '');
78 INSERT INTO `l2_assets` VALUES ('video/mpeg', 'mpeg_video-audio', 'Mpeg Video and
Audio', 'mpg, mpeg, m2v', 1, 'www.mpeg.org');
79 INSERT INTO `l2_assets` VALUES ('video/mpv', 'mpeg_video', 'Mpeg video', 'mpv', 0,
'www.mpeg.org');
80 INSERT INTO `l2_assets` VALUES ('video/quicktime', 'quicktime_video', 'Apple Quicktime',
'mov, qt', 1, 'www.apple.com');
81 INSERT INTO `l2_assets` VALUES ('video/x-msvideo', 'audiovideoint', 'AVI Microsoft
video', 'avi', 1, 'www.microsoft.com');
82 INSERT INTO `l2_assets` VALUES ('video/x-sgi-movie', 'Sgi_movie', 'SGI movie', 'movie',
0, 'do not know');
83
84 CREATE TABLE l2_cali_default (
85     profileid char(32) not null primary key,
86     caliber_tot float(5,2) not null default 1,
87     caliber_sec float(5,2) not null default 1,
88     caliber_clp float(5,2) not null default 1,
89     edited int(10) unsigned not null
90 ) ENGINE=InnoDB;
91
92 CREATE TABLE l2_cali_specific (
93     conid char(32) not null primary key,
94     pubprof char(32) not null,
95     cliprof char(32) not null,
96     caliber_tot float(5,2) not null default 1,
97     caliber_sec float(5,2) not null default 1,
98     caliber_clp float(5,2) not null default 1,
99     edited int(10) unsigned not null
100 ) ENGINE=InnoDB;
101
102
103 CREATE TABLE l2_cali_group (
104     conid char(32) not null primary key,
105     name varchar(50) not null unique,
106     pubprof char(32) not null,
107     caliber_tot float(5,2) not null default 1,
108     caliber_sec float(5,2) not null default 1,
109     caliber_clp float(5,2) not null default 1,
110     description text not null,
111     edited int(10) unsigned not null
112 ) ENGINE=InnoDB;
113
114
115 CREATE TABLE l2_cali_groupconn (
116     conid char(32) not null,
117     cliprof char(32) not null,
118     INDEX (cliprof)
119 ) ENGINE=InnoDB;
120
121 CREATE TABLE l2_category (
122     idnum smallint(5) unsigned not null primary key auto_increment,
123     name varchar(20) not null,
124     inuse tinyint(1) not null default 0,
125     belongs smallint(5) unsigned not null
126 ) ENGINE=InnoDB;
127

```

```
128
129 CREATE TABLE l2_channel (
130     name varchar(30) not null primary key,
131     description text not null,
132     visibility tinyint(1) not null default 0,
133     owner varchar(40) not null
134 ) ENGINE=InnoDB;
135
136
137 CREATE TABLE l2_content_info (
138     id_number mediumint(6) unsigned primary key auto_increment,
139     cat1 varchar (16) not null,
140     cat2 varchar (16) not null,
141     cat3 varchar (16) not null,
142     cat4 varchar (16) not null,
143     title varchar(80) not null,
144     subtitle varchar(140) not null,
145     synopsis text not null,
146     description text not null,
147     date_content int(10) unsigned not null default 0,
148     date_insert int(10) unsigned not null default 0,
149     date_modif int(10) unsigned not null default 0,
150     date_start int(10) unsigned not null default 0,
151     date_last int(10) unsigned not null default 0,
152     language char(2) not null,
153     publisher varchar(40) not null,
154     pubprof char(32) not null,
155     region tinyint(2) not null,
156     country char(2) not null,
157     location varchar(100) not null,
158     basecaliber float(3,2) not null default 1.00,
159     pricetype smallint(4) unsigned not null default 1,
160     statusc tinyint(1) not null default 0,
161     accept tinyint(1) not null default 0,
162     groupc varchar(20) not null,
163     torrent tinyint(1) not null default 0,
164     restrictions text not null,
165     preview_dl tinyint(1) not null default 1,
166     INDEX (publisher)
167 ) ENGINE=InnoDB;
168
169
170 CREATE TABLE l2_content_video (
171     id_number mediumint(6) unsigned not null,
172     filenumber tinyint(2) unsigned zerofill not null default 01,
173     fileformat varchar(120) not null,
174     broadcast tinyint(1) not null default 1,
175     mimetype varchar(60) not null,
176     video_codec varchar(40) not null,
177     video_datarate mediumint(5) unsigned not null,
178     framerate float(3,2) not null,
179     frameheight smallint(4) not null,
180     framewidth smallint(4) not null,
181     aspectr float(2,3) not null,
182     audio_codec varchar(40) not null,
183     audio_datarate smallint(3) unsigned not null,
184     audio_samplerate mediumint(5) unsigned not null,
185     lenght float(6,2) not null default '0.0',
186     filesize mediumint(7) unsigned not null default 0,
187     statusv tinyint(2) not null default 0,
188     INDEX id_file (id_number, filenumber)
189 ) ENGINE=InnoDB;
190
191
192 CREATE TABLE l2_content_groups (
193     grid mediumint(6) unsigned primary key,
194     grname varchar(60) not null,
195     description text not null,
196     visibility tinyint(1) not null,
197     owner varchar(40) not null
198 ) ENGINE=InnoDB;
199
200
201 CREATE TABLE l2_continent (
202     cont_id tinyint(2) not null primary key auto_increment,
203     name varchar(80) not null
```

```
204 ) ENGINE=InnoDB;
205
206
207 CREATE TABLE l2_country (
208     code char(2) not null primary key,
209     cnumber smallint(3) unsigned zerofill not null,
210     cname varchar(70) not null,
211     inuse tinyint(1) not null default 0,
212     continent tinyint(2) not null,
213     INDEX (cname),
214     INDEX (inuse)
215 ) ENGINE=InnoDB;
216
217
218 INSERT INTO `l2_country` VALUES ('AD', 020, 'Andorra', 0, 0);
219 INSERT INTO `l2_country` VALUES ('AE', 784, 'United Arab Emirates', 0, 0);
220 INSERT INTO `l2_country` VALUES ('AF', 004, 'Afghanistan', 0, 0);
221 INSERT INTO `l2_country` VALUES ('AG', 028, 'Antigua and Barbuda', 0, 0);
222 INSERT INTO `l2_country` VALUES ('AI', 660, 'Anguilla', 0, 0);
223 INSERT INTO `l2_country` VALUES ('AL', 008, 'Albania', 0, 0);
224 INSERT INTO `l2_country` VALUES ('AM', 051, 'Armenia', 0, 0);
225 INSERT INTO `l2_country` VALUES ('AN', 530, 'Netherlands Antilles', 0, 0);
226 INSERT INTO `l2_country` VALUES ('AO', 024, 'Angola', 0, 0);
227 INSERT INTO `l2_country` VALUES ('AQ', 010, 'Antarctica', 0, 0);
228 INSERT INTO `l2_country` VALUES ('AR', 032, 'Argentina', 0, 0);
229 INSERT INTO `l2_country` VALUES ('AS', 016, 'American Samoa', 0, 0);
230 INSERT INTO `l2_country` VALUES ('AT', 040, 'Austria', 0, 0);
231 INSERT INTO `l2_country` VALUES ('AU', 036, 'Australia', 0, 0);
232 INSERT INTO `l2_country` VALUES ('AW', 533, 'Aruba', 0, 0);
233 INSERT INTO `l2_country` VALUES ('AX', 248, 'Åland Islands', 0, 0);
234 INSERT INTO `l2_country` VALUES ('AZ', 031, 'Azerbaijan', 0, 0);
235 INSERT INTO `l2_country` VALUES ('BA', 070, 'Bosnia and Herzegovina', 0, 0);
236 INSERT INTO `l2_country` VALUES ('BB', 052, 'Barbados', 0, 0);
237 INSERT INTO `l2_country` VALUES ('BD', 050, 'Bangladesh', 0, 0);
238 INSERT INTO `l2_country` VALUES ('BE', 056, 'Belgium', 0, 0);
239 INSERT INTO `l2_country` VALUES ('BF', 854, 'Burkina Faso', 0, 0);
240 INSERT INTO `l2_country` VALUES ('BG', 100, 'Bulgaria', 0, 0);
241 INSERT INTO `l2_country` VALUES ('BH', 048, 'Bahrain', 0, 0);
242 INSERT INTO `l2_country` VALUES ('BI', 108, 'Burundi', 0, 0);
243 INSERT INTO `l2_country` VALUES ('BJ', 204, 'Benin', 0, 0);
244 INSERT INTO `l2_country` VALUES ('BM', 060, 'Bermuda', 0, 0);
245 INSERT INTO `l2_country` VALUES ('BN', 096, 'Brunei Darussalam', 0, 0);
246 INSERT INTO `l2_country` VALUES ('BO', 068, 'Bolivia', 0, 0);
247 INSERT INTO `l2_country` VALUES ('BR', 076, 'Brazil', 0, 0);
248 INSERT INTO `l2_country` VALUES ('BS', 044, 'Bahamas', 0, 0);
249 INSERT INTO `l2_country` VALUES ('BT', 064, 'Bhutan', 0, 0);
250 INSERT INTO `l2_country` VALUES ('BV', 074, 'Bouvet Island', 0, 0);
251 INSERT INTO `l2_country` VALUES ('BW', 072, 'Botswana', 0, 0);
252 INSERT INTO `l2_country` VALUES ('BY', 112, 'Belarus', 0, 0);
253 INSERT INTO `l2_country` VALUES ('BZ', 084, 'Belize', 0, 0);
254 INSERT INTO `l2_country` VALUES ('CA', 124, 'Canada', 0, 0);
255 INSERT INTO `l2_country` VALUES ('CC', 166, 'Cocos Islands', 0, 0);
256 INSERT INTO `l2_country` VALUES ('CD', 180, 'Congo, Democratic Republic of the', 0, 0);
257 INSERT INTO `l2_country` VALUES ('CF', 140, 'Central African Republic', 0, 0);
258 INSERT INTO `l2_country` VALUES ('CG', 178, 'Congo, Republic of the', 0, 0);
259 INSERT INTO `l2_country` VALUES ('CH', 756, 'Switzerland', 0, 0);
260 INSERT INTO `l2_country` VALUES ('CI', 384, 'Côte d'Ivoire', 0, 0);
261 INSERT INTO `l2_country` VALUES ('CK', 184, 'Cook Islands', 0, 0);
262 INSERT INTO `l2_country` VALUES ('CL', 152, 'Chile', 0, 0);
263 INSERT INTO `l2_country` VALUES ('CM', 120, 'Cameroon', 0, 0);
264 INSERT INTO `l2_country` VALUES ('CN', 156, 'China, People's Republic of', 0, 0);
265 INSERT INTO `l2_country` VALUES ('CO', 170, 'Colombia', 0, 0);
266 INSERT INTO `l2_country` VALUES ('CR', 188, 'Costa Rica', 0, 0);
267 INSERT INTO `l2_country` VALUES ('CS', 891, 'Serbia and Montenegro', 0, 0);
268 INSERT INTO `l2_country` VALUES ('CU', 192, 'Cuba', 0, 0);
269 INSERT INTO `l2_country` VALUES ('CV', 132, 'Cape Verde', 0, 0);
270 INSERT INTO `l2_country` VALUES ('CX', 162, 'Christmas Island', 0, 0);
271 INSERT INTO `l2_country` VALUES ('CY', 196, 'Cyprus', 0, 0);
272 INSERT INTO `l2_country` VALUES ('CZ', 203, 'Czech Republic', 0, 0);
273 INSERT INTO `l2_country` VALUES ('DE', 276, 'Germany', 0, 0);
274 INSERT INTO `l2_country` VALUES ('DJ', 262, 'Djibouti', 0, 0);
275 INSERT INTO `l2_country` VALUES ('DK', 208, 'Denmark', 0, 0);
276 INSERT INTO `l2_country` VALUES ('DM', 212, 'Dominica', 0, 0);
277 INSERT INTO `l2_country` VALUES ('DO', 214, 'Dominican Republic', 0, 0);
278 INSERT INTO `l2_country` VALUES ('DZ', 012, 'Algeria', 0, 0);
279 INSERT INTO `l2_country` VALUES ('EC', 218, 'Ecuador', 0, 0);
```

```

280 INSERT INTO `12_country` VALUES ('EE', 233, 'Estonia', 0, 0);
281 INSERT INTO `12_country` VALUES ('EG', 818, 'Egypt', 0, 0);
282 INSERT INTO `12_country` VALUES ('EH', 732, 'Western Sahara', 0, 0);
283 INSERT INTO `12_country` VALUES ('ER', 232, 'Eritrea', 0, 0);
284 INSERT INTO `12_country` VALUES ('ES', 724, 'Spain (España)', 0, 0);
285 INSERT INTO `12_country` VALUES ('ET', 231, 'Ethiopia', 0, 0);
286 INSERT INTO `12_country` VALUES ('FI', 246, 'Finland (Suomi)', 0, 0);
287 INSERT INTO `12_country` VALUES ('FJ', 242, 'Fiji', 0, 0);
288 INSERT INTO `12_country` VALUES ('FK', 238, 'Falkland Islands', 0, 0);
289 INSERT INTO `12_country` VALUES ('FM', 583, 'Micronesia, Federated States of', 0, 0);
290 INSERT INTO `12_country` VALUES ('FO', 234, 'Faroe Islands', 0, 0);
291 INSERT INTO `12_country` VALUES ('FR', 250, 'France', 0, 0);
292 INSERT INTO `12_country` VALUES ('GA', 266, 'Gabon', 0, 0);
293 INSERT INTO `12_country` VALUES ('GB', 826, 'United Kingdom', 0, 0);
294 INSERT INTO `12_country` VALUES ('GD', 308, 'Grenada', 0, 0);
295 INSERT INTO `12_country` VALUES ('GE', 268, 'Georgia', 0, 0);
296 INSERT INTO `12_country` VALUES ('GF', 254, 'French Guiana', 0, 0);
297 INSERT INTO `12_country` VALUES ('GH', 288, 'Ghana', 0, 0);
298 INSERT INTO `12_country` VALUES ('GI', 292, 'Gibraltar', 0, 0);
299 INSERT INTO `12_country` VALUES ('GL', 304, 'Greenland', 0, 0);
300 INSERT INTO `12_country` VALUES ('GM', 270, 'Gambia', 0, 0);
301 INSERT INTO `12_country` VALUES ('GN', 324, 'Guinea', 0, 0);
302 INSERT INTO `12_country` VALUES ('GP', 312, 'Guadeloupe', 0, 0);
303 INSERT INTO `12_country` VALUES ('GQ', 226, 'Equatorial Guinea', 0, 0);
304 INSERT INTO `12_country` VALUES ('GR', 300, 'Greece', 0, 0);
305 INSERT INTO `12_country` VALUES ('GS', 239, 'South Georgia and the South Sandwich
Islands', 0, 0);
306 INSERT INTO `12_country` VALUES ('GT', 320, 'Guatemala', 0, 0);
307 INSERT INTO `12_country` VALUES ('GU', 316, 'Guam', 0, 0);
308 INSERT INTO `12_country` VALUES ('GW', 624, 'Guinea-Bissau', 0, 0);
309 INSERT INTO `12_country` VALUES ('GY', 328, 'Guyana', 0, 0);
310 INSERT INTO `12_country` VALUES ('HK', 344, 'Hong Kong', 0, 0);
311 INSERT INTO `12_country` VALUES ('HM', 334, 'Heard Island and McDonald Islands', 0, 0);
312 INSERT INTO `12_country` VALUES ('HN', 340, 'Honduras', 0, 0);
313 INSERT INTO `12_country` VALUES ('HR', 191, 'Croatia (Hrvatska)', 0, 0);
314 INSERT INTO `12_country` VALUES ('HT', 332, 'Haiti', 0, 0);
315 INSERT INTO `12_country` VALUES ('HU', 348, 'Hungary', 0, 0);
316 INSERT INTO `12_country` VALUES ('ID', 360, 'Indonesia', 0, 0);
317 INSERT INTO `12_country` VALUES ('IE', 372, 'Ireland, Republic of', 0, 0);
318 INSERT INTO `12_country` VALUES ('IL', 376, 'Israel', 0, 0);
319 INSERT INTO `12_country` VALUES ('IN', 356, 'India', 0, 0);
320 INSERT INTO `12_country` VALUES ('IO', 086, 'British Indian Ocean Territory', 0, 0);
321 INSERT INTO `12_country` VALUES ('IQ', 368, 'Iraq', 0, 0);
322 INSERT INTO `12_country` VALUES ('IR', 364, 'Iran, Islamic Republic of', 0, 0);
323 INSERT INTO `12_country` VALUES ('IS', 352, 'Iceland', 0, 0);
324 INSERT INTO `12_country` VALUES ('IT', 380, 'Italy', 0, 0);
325 INSERT INTO `12_country` VALUES ('JM', 388, 'Jamaica', 0, 0);
326 INSERT INTO `12_country` VALUES ('JO', 400, 'Jordan', 0, 0);
327 INSERT INTO `12_country` VALUES ('JP', 392, 'Japan', 0, 0);
328 INSERT INTO `12_country` VALUES ('KE', 404, 'Kenya', 0, 0);
329 INSERT INTO `12_country` VALUES ('KG', 417, 'Kyrgyzstan', 0, 0);
330 INSERT INTO `12_country` VALUES ('KH', 116, 'Cambodia', 0, 0);
331 INSERT INTO `12_country` VALUES ('KI', 296, 'Kiribati', 0, 0);
332 INSERT INTO `12_country` VALUES ('KM', 174, 'Comoros', 0, 0);
333 INSERT INTO `12_country` VALUES ('KN', 659, 'Saint Kitts and Nevis', 0, 0);
334 INSERT INTO `12_country` VALUES ('KP', 408, 'Korea, Democratic People's Republic of
(North Korea)', 0, 0);
335 INSERT INTO `12_country` VALUES ('KR', 410, 'Korea, Republic of (South Korea)', 0, 0);
336 INSERT INTO `12_country` VALUES ('KW', 414, 'Kuwait', 0, 0);
337 INSERT INTO `12_country` VALUES ('KY', 136, 'Cayman Islands', 0, 0);
338 INSERT INTO `12_country` VALUES ('KZ', 398, 'Kazakhstan', 0, 0);
339 INSERT INTO `12_country` VALUES ('LA', 418, 'Lao People's Democratic Republic (Laos)',
0, 0);
340 INSERT INTO `12_country` VALUES ('LB', 422, 'Lebanon', 0, 0);
341 INSERT INTO `12_country` VALUES ('LC', 662, 'Saint Lucia', 0, 0);
342 INSERT INTO `12_country` VALUES ('LI', 438, 'Liechtenstein', 0, 0);
343 INSERT INTO `12_country` VALUES ('LK', 144, 'Sri Lanka', 0, 0);
344 INSERT INTO `12_country` VALUES ('LR', 430, 'Liberia', 0, 0);
345 INSERT INTO `12_country` VALUES ('LS', 426, 'Lesotho', 0, 0);
346 INSERT INTO `12_country` VALUES ('LT', 440, 'Lithuania', 0, 0);
347 INSERT INTO `12_country` VALUES ('LU', 442, 'Luxembourg', 0, 0);
348 INSERT INTO `12_country` VALUES ('LV', 428, 'Latvia', 0, 0);
349 INSERT INTO `12_country` VALUES ('LY', 434, 'Libyan Arab Jamahiriya (Libya)', 0, 0);
350 INSERT INTO `12_country` VALUES ('MA', 504, 'Morocco', 0, 0);
351 INSERT INTO `12_country` VALUES ('MC', 492, 'Monaco', 0, 0);
352 INSERT INTO `12_country` VALUES ('MD', 498, 'Moldova, Republic of', 0, 0);

```

```
353 INSERT INTO `l2_country` VALUES ('MG', 450, 'Madagascar', 0, 0);
354 INSERT INTO `l2_country` VALUES ('MH', 584, 'Marshall Islands', 0, 0);
355 INSERT INTO `l2_country` VALUES ('MK', 807, 'Macedonia, The Former Yugoslav Republic
of', 0, 0);
356 INSERT INTO `l2_country` VALUES ('ML', 466, 'Mali', 0, 0);
357 INSERT INTO `l2_country` VALUES ('MM', 104, 'Myanmar (Burma)', 0, 0);
358 INSERT INTO `l2_country` VALUES ('MN', 496, 'Mongolia', 0, 0);
359 INSERT INTO `l2_country` VALUES ('MO', 446, 'Macao (Macau)', 0, 0);
360 INSERT INTO `l2_country` VALUES ('MP', 580, 'Northern Mariana Islands', 0, 0);
361 INSERT INTO `l2_country` VALUES ('MQ', 474, 'Martinique', 0, 0);
362 INSERT INTO `l2_country` VALUES ('MR', 478, 'Mauritania', 0, 0);
363 INSERT INTO `l2_country` VALUES ('MS', 500, 'Montserrat', 0, 0);
364 INSERT INTO `l2_country` VALUES ('MT', 470, 'Malta', 0, 0);
365 INSERT INTO `l2_country` VALUES ('MU', 480, 'Mauritius', 0, 0);
366 INSERT INTO `l2_country` VALUES ('MV', 462, 'Maldives', 0, 0);
367 INSERT INTO `l2_country` VALUES ('MW', 454, 'Malawi', 0, 0);
368 INSERT INTO `l2_country` VALUES ('MX', 484, 'Mexico', 0, 0);
369 INSERT INTO `l2_country` VALUES ('MY', 458, 'Malaysia', 0, 0);
370 INSERT INTO `l2_country` VALUES ('MZ', 508, 'Mozambique', 0, 0);
371 INSERT INTO `l2_country` VALUES ('NA', 516, 'Namibia', 0, 0);
372 INSERT INTO `l2_country` VALUES ('NC', 540, 'New Caledonia', 0, 0);
373 INSERT INTO `l2_country` VALUES ('NE', 562, 'Niger', 0, 0);
374 INSERT INTO `l2_country` VALUES ('NF', 574, 'Norfolk Island', 0, 0);
375 INSERT INTO `l2_country` VALUES ('NG', 566, 'Nigeria', 0, 0);
376 INSERT INTO `l2_country` VALUES ('NI', 558, 'Nicaragua', 0, 0);
377 INSERT INTO `l2_country` VALUES ('NL', 528, 'Netherlands', 0, 0);
378 INSERT INTO `l2_country` VALUES ('NO', 578, 'Norway', 0, 0);
379 INSERT INTO `l2_country` VALUES ('NP', 524, 'Nepal', 0, 0);
380 INSERT INTO `l2_country` VALUES ('NR', 520, 'Nauru', 0, 0);
381 INSERT INTO `l2_country` VALUES ('NU', 570, 'Niue', 0, 0);
382 INSERT INTO `l2_country` VALUES ('NZ', 554, 'New Zealand', 0, 0);
383 INSERT INTO `l2_country` VALUES ('OM', 512, 'Oman', 0, 0);
384 INSERT INTO `l2_country` VALUES ('PA', 591, 'Panama', 0, 0);
385 INSERT INTO `l2_country` VALUES ('PE', 604, 'Peru', 0, 0);
386 INSERT INTO `l2_country` VALUES ('PF', 258, 'French Polynesia', 0, 0);
387 INSERT INTO `l2_country` VALUES ('PG', 598, 'Papua New Guinea', 0, 0);
388 INSERT INTO `l2_country` VALUES ('PH', 608, 'Philippines', 0, 0);
389 INSERT INTO `l2_country` VALUES ('PK', 586, 'Pakistan', 0, 0);
390 INSERT INTO `l2_country` VALUES ('PL', 616, 'Poland', 0, 0);
391 INSERT INTO `l2_country` VALUES ('PM', 666, 'Saint Pierre and Miquelon', 0, 0);
392 INSERT INTO `l2_country` VALUES ('PN', 612, 'Pitcairn Islands', 0, 0);
393 INSERT INTO `l2_country` VALUES ('PR', 630, 'Puerto Rico', 0, 0);
394 INSERT INTO `l2_country` VALUES ('PS', 275, 'Palestinian Territory, Occupied', 0, 0);
395 INSERT INTO `l2_country` VALUES ('PT', 620, 'Portugal', 0, 0);
396 INSERT INTO `l2_country` VALUES ('PW', 585, 'Palau', 0, 0);
397 INSERT INTO `l2_country` VALUES ('PY', 600, 'Paraguay', 0, 0);
398 INSERT INTO `l2_country` VALUES ('QA', 634, 'Qatar', 0, 0);
399 INSERT INTO `l2_country` VALUES ('RE', 638, 'Réunion', 0, 0);
400 INSERT INTO `l2_country` VALUES ('RO', 642, 'Romania', 0, 0);
401 INSERT INTO `l2_country` VALUES ('RU', 643, 'Russian Federation', 0, 0);
402 INSERT INTO `l2_country` VALUES ('RW', 646, 'Rwanda', 0, 0);
403 INSERT INTO `l2_country` VALUES ('SA', 682, 'Saudi Arabia', 0, 0);
404 INSERT INTO `l2_country` VALUES ('SB', 090, 'Solomon Islands', 0, 0);
405 INSERT INTO `l2_country` VALUES ('SC', 690, 'Seychelles', 0, 0);
406 INSERT INTO `l2_country` VALUES ('SD', 736, 'Sudan', 0, 0);
407 INSERT INTO `l2_country` VALUES ('SE', 752, 'Sweden', 0, 0);
408 INSERT INTO `l2_country` VALUES ('SG', 702, 'Singapore', 0, 0);
409 INSERT INTO `l2_country` VALUES ('SH', 654, 'Saint Helena', 0, 0);
410 INSERT INTO `l2_country` VALUES ('SI', 705, 'Slovenia', 0, 0);
411 INSERT INTO `l2_country` VALUES ('SJ', 744, 'Svalbard and Jan Mayen Islands', 0, 0);
412 INSERT INTO `l2_country` VALUES ('SK', 703, 'Slovakia', 0, 0);
413 INSERT INTO `l2_country` VALUES ('SL', 694, 'Sierra Leone', 0, 0);
414 INSERT INTO `l2_country` VALUES ('SM', 674, 'San Marino', 0, 0);
415 INSERT INTO `l2_country` VALUES ('SN', 686, 'Senegal', 0, 0);
416 INSERT INTO `l2_country` VALUES ('SO', 706, 'Somalia', 0, 0);
417 INSERT INTO `l2_country` VALUES ('SR', 740, 'Suriname', 0, 0);
418 INSERT INTO `l2_country` VALUES ('ST', 678, 'Sao Tome and Principe', 0, 0);
419 INSERT INTO `l2_country` VALUES ('SV', 222, 'El Salvador', 0, 0);
420 INSERT INTO `l2_country` VALUES ('SY', 760, 'Syrian Arab Republic (Syria)', 0, 0);
421 INSERT INTO `l2_country` VALUES ('SZ', 748, 'Swaziland', 0, 0);
422 INSERT INTO `l2_country` VALUES ('TC', 796, 'Turks and Caicos Islands', 0, 0);
423 INSERT INTO `l2_country` VALUES ('TD', 148, 'Chad (Tchad)', 0, 0);
424 INSERT INTO `l2_country` VALUES ('TF', 260, 'French Southern Territories', 0, 0);
425 INSERT INTO `l2_country` VALUES ('TG', 768, 'Togo', 0, 0);
426 INSERT INTO `l2_country` VALUES ('TH', 764, 'Thailand', 0, 0);
427 INSERT INTO `l2_country` VALUES ('TJ', 762, 'Tajikistan', 0, 0);
```

```

428 INSERT INTO `l2_country` VALUES ('TK', 772, 'Tokelau', 0, 0);
429 INSERT INTO `l2_country` VALUES ('TL', 626, 'Timor-Leste (East Timor)', 0, 0);
430 INSERT INTO `l2_country` VALUES ('TM', 795, 'Turkmenistan', 0, 0);
431 INSERT INTO `l2_country` VALUES ('TN', 788, 'Tunisia', 0, 0);
432 INSERT INTO `l2_country` VALUES ('TO', 776, 'Tonga', 0, 0);
433 INSERT INTO `l2_country` VALUES ('TR', 792, 'Turkey', 0, 0);
434 INSERT INTO `l2_country` VALUES ('TT', 780, 'Trinidad and Tobago', 0, 0);
435 INSERT INTO `l2_country` VALUES ('TV', 798, 'Tuvalu', 0, 0);
436 INSERT INTO `l2_country` VALUES ('TW', 158, 'Taiwan, Province of China (Republic of
China)', 0, 0);
437 INSERT INTO `l2_country` VALUES ('TZ', 834, 'Tanzania, United Republic of', 0, 0);
438 INSERT INTO `l2_country` VALUES ('UA', 804, 'Ukraine', 0, 0);
439 INSERT INTO `l2_country` VALUES ('UG', 800, 'Uganda', 0, 0);
440 INSERT INTO `l2_country` VALUES ('UM', 581, 'United States Minor Outlying Islands', 0,
0);
441 INSERT INTO `l2_country` VALUES ('US', 840, 'United States', 0, 0);
442 INSERT INTO `l2_country` VALUES ('UY', 858, 'Uruguay', 0, 0);
443 INSERT INTO `l2_country` VALUES ('UZ', 860, 'Uzbekistan', 0, 0);
444 INSERT INTO `l2_country` VALUES ('VA', 336, 'Vatican City State', 0, 0);
445 INSERT INTO `l2_country` VALUES ('VC', 670, 'Saint Vincent and the Grenadines', 0, 0);
446 INSERT INTO `l2_country` VALUES ('VE', 862, 'Venezuela', 0, 0);
447 INSERT INTO `l2_country` VALUES ('VG', 092, 'Virgin Islands, British', 0, 0);
448 INSERT INTO `l2_country` VALUES ('VI', 850, 'Virgin Islands, U.S.', 0, 0);
449 INSERT INTO `l2_country` VALUES ('VN', 704, 'Viet Nam (Vietnam)', 0, 0);
450 INSERT INTO `l2_country` VALUES ('VU', 548, 'Vanuatu', 0, 0);
451 INSERT INTO `l2_country` VALUES ('WF', 876, 'Wallis and Futuna', 0, 0);
452 INSERT INTO `l2_country` VALUES ('WS', 882, 'Samoa', 0, 0);
453 INSERT INTO `l2_country` VALUES ('YE', 887, 'Yemen', 0, 0);
454 INSERT INTO `l2_country` VALUES ('YT', 175, 'Mayotte', 0, 0);
455 INSERT INTO `l2_country` VALUES ('ZA', 710, 'South Africa (Zuid Afrika)', 0, 0);
456 INSERT INTO `l2_country` VALUES ('ZM', 894, 'Zambia', 0, 0);
457 INSERT INTO `l2_country` VALUES ('ZW', 716, 'Zimbabwe', 0, 0);
458
459
460 CREATE TABLE l2_helps (
461     whathelp varchar(60) primary key not null,
462     modified int(10) unsigned not null,
463     lang char(2) not null,
464     subject varchar(100) not null,
465     content text not null
466 ) ENGINE=InnoDB;
467
468
469
470 CREATE TABLE l2_language (
471     lang char(2) primary key not null,
472     name varchar(60) not null
473 ) ENGINE=InnoDB;
474
475
476
477 INSERT INTO `l2_language` VALUES ('AA', 'Afar');
478 INSERT INTO `l2_language` VALUES ('AB', 'Abkhazian');
479 INSERT INTO `l2_language` VALUES ('AF', 'Afrikaans');
480 INSERT INTO `l2_language` VALUES ('AM', 'Amharic');
481 INSERT INTO `l2_language` VALUES ('AR', 'Arabic');
482 INSERT INTO `l2_language` VALUES ('AS', 'Assamese');
483 INSERT INTO `l2_language` VALUES ('AY', 'Aymara');
484 INSERT INTO `l2_language` VALUES ('AZ', 'Azerbaijani');
485 INSERT INTO `l2_language` VALUES ('BA', 'Bashkir');
486 INSERT INTO `l2_language` VALUES ('BE', 'Byelorussian');
487 INSERT INTO `l2_language` VALUES ('BG', 'Bulgarian');
488 INSERT INTO `l2_language` VALUES ('BH', 'Bihari');
489 INSERT INTO `l2_language` VALUES ('BI', 'Bislama');
490 INSERT INTO `l2_language` VALUES ('BN', 'Bengali');
491 INSERT INTO `l2_language` VALUES ('BO', 'Tibetan');
492 INSERT INTO `l2_language` VALUES ('BR', 'Breton');
493 INSERT INTO `l2_language` VALUES ('CA', 'Catalan');
494 INSERT INTO `l2_language` VALUES ('CO', 'Corsican');
495 INSERT INTO `l2_language` VALUES ('CS', 'Czech');
496 INSERT INTO `l2_language` VALUES ('CY', 'Welsh');
497 INSERT INTO `l2_language` VALUES ('DA', 'Danish');
498 INSERT INTO `l2_language` VALUES ('DE', 'German');
499 INSERT INTO `l2_language` VALUES ('DZ', 'Bhutani');
500 INSERT INTO `l2_language` VALUES ('EL', 'Greek');
501 INSERT INTO `l2_language` VALUES ('EN', 'English');

```

```
502 INSERT INTO `l2_language` VALUES ('EO', 'Esperanto');
503 INSERT INTO `l2_language` VALUES ('ES', 'Spanish');
504 INSERT INTO `l2_language` VALUES ('ET', 'Estonian');
505 INSERT INTO `l2_language` VALUES ('EU', 'Basque');
506 INSERT INTO `l2_language` VALUES ('FA', 'Persian');
507 INSERT INTO `l2_language` VALUES ('FI', 'Finnish');
508 INSERT INTO `l2_language` VALUES ('FJ', 'Fiji');
509 INSERT INTO `l2_language` VALUES ('FO', 'Faeroese');
510 INSERT INTO `l2_language` VALUES ('FR', 'French');
511 INSERT INTO `l2_language` VALUES ('FY', 'Frisian');
512 INSERT INTO `l2_language` VALUES ('GA', 'Irish');
513 INSERT INTO `l2_language` VALUES ('GD', 'Gaelic');
514 INSERT INTO `l2_language` VALUES ('GL', 'Galician');
515 INSERT INTO `l2_language` VALUES ('GN', 'Guarani');
516 INSERT INTO `l2_language` VALUES ('GU', 'Gujarati');
517 INSERT INTO `l2_language` VALUES ('HA', 'Hausa');
518 INSERT INTO `l2_language` VALUES ('HI', 'Hindi');
519 INSERT INTO `l2_language` VALUES ('HR', 'Croatian');
520 INSERT INTO `l2_language` VALUES ('HU', 'Hungarian');
521 INSERT INTO `l2_language` VALUES ('HY', 'Armenian');
522 INSERT INTO `l2_language` VALUES ('IA', 'Interlingua');
523 INSERT INTO `l2_language` VALUES ('IE', 'Interlingue');
524 INSERT INTO `l2_language` VALUES ('IK', 'Inupiak');
525 INSERT INTO `l2_language` VALUES ('IN', 'Indonesian');
526 INSERT INTO `l2_language` VALUES ('IS', 'Icelandic');
527 INSERT INTO `l2_language` VALUES ('IT', 'Italian');
528 INSERT INTO `l2_language` VALUES ('IW', 'Hebrew');
529 INSERT INTO `l2_language` VALUES ('JA', 'Japanese');
530 INSERT INTO `l2_language` VALUES ('JI', 'Yiddish');
531 INSERT INTO `l2_language` VALUES ('JW', 'Javanese');
532 INSERT INTO `l2_language` VALUES ('KA', 'Georgian');
533 INSERT INTO `l2_language` VALUES ('KK', 'Kazakh');
534 INSERT INTO `l2_language` VALUES ('KL', 'Greenlandic');
535 INSERT INTO `l2_language` VALUES ('KM', 'Cambodian');
536 INSERT INTO `l2_language` VALUES ('KN', 'Kannada');
537 INSERT INTO `l2_language` VALUES ('KO', 'Korean');
538 INSERT INTO `l2_language` VALUES ('KS', 'Kashmiri');
539 INSERT INTO `l2_language` VALUES ('KU', 'Kurdish');
540 INSERT INTO `l2_language` VALUES ('KY', 'Kirghiz');
541 INSERT INTO `l2_language` VALUES ('LA', 'Latin');
542 INSERT INTO `l2_language` VALUES ('LN', 'Lingala');
543 INSERT INTO `l2_language` VALUES ('LO', 'Laothian');
544 INSERT INTO `l2_language` VALUES ('LT', 'Lithuanian');
545 INSERT INTO `l2_language` VALUES ('LV', 'Latvian');
546 INSERT INTO `l2_language` VALUES ('MG', 'Malagasy');
547 INSERT INTO `l2_language` VALUES ('MI', 'Maori');
548 INSERT INTO `l2_language` VALUES ('MK', 'Macedonian');
549 INSERT INTO `l2_language` VALUES ('ML', 'Malayalam');
550 INSERT INTO `l2_language` VALUES ('MN', 'Mongolian');
551 INSERT INTO `l2_language` VALUES ('MO', 'Moldavian');
552 INSERT INTO `l2_language` VALUES ('MR', 'Marathi');
553 INSERT INTO `l2_language` VALUES ('MS', 'Malay');
554 INSERT INTO `l2_language` VALUES ('MT', 'Maltese');
555 INSERT INTO `l2_language` VALUES ('MY', 'Burmese');
556 INSERT INTO `l2_language` VALUES ('NA', 'Nauru');
557 INSERT INTO `l2_language` VALUES ('NE', 'Nepali');
558 INSERT INTO `l2_language` VALUES ('NL', 'Dutch');
559 INSERT INTO `l2_language` VALUES ('NO', 'Norwegian');
560 INSERT INTO `l2_language` VALUES ('OC', 'Occitan');
561 INSERT INTO `l2_language` VALUES ('OM', 'Oromo');
562 INSERT INTO `l2_language` VALUES ('OR', 'Oriya');
563 INSERT INTO `l2_language` VALUES ('PA', 'Punjabi');
564 INSERT INTO `l2_language` VALUES ('PL', 'Polish');
565 INSERT INTO `l2_language` VALUES ('PS', 'Pashto');
566 INSERT INTO `l2_language` VALUES ('PT', 'Portuguese');
567 INSERT INTO `l2_language` VALUES ('QU', 'Quechua');
568 INSERT INTO `l2_language` VALUES ('RM', 'Rhaeto-Romance');
569 INSERT INTO `l2_language` VALUES ('RN', 'Kirundi');
570 INSERT INTO `l2_language` VALUES ('RO', 'Romanian');
571 INSERT INTO `l2_language` VALUES ('RU', 'Russian');
572 INSERT INTO `l2_language` VALUES ('RW', 'Kinyarwanda');
573 INSERT INTO `l2_language` VALUES ('SA', 'Sanskrit');
574 INSERT INTO `l2_language` VALUES ('SD', 'Sindhi');
575 INSERT INTO `l2_language` VALUES ('SG', 'Sangro');
576 INSERT INTO `l2_language` VALUES ('SH', 'Serbo-Croatian');
577 INSERT INTO `l2_language` VALUES ('SI', 'Singhalese');
```



```
578 INSERT INTO `l2_language` VALUES ('SK', 'Slovak');
579 INSERT INTO `l2_language` VALUES ('SL', 'Slovenian');
580 INSERT INTO `l2_language` VALUES ('SM', 'Samoan');
581 INSERT INTO `l2_language` VALUES ('SN', 'Shona');
582 INSERT INTO `l2_language` VALUES ('SO', 'Somali');
583 INSERT INTO `l2_language` VALUES ('SQ', 'Albanian');
584 INSERT INTO `l2_language` VALUES ('SR', 'Serbian');
585 INSERT INTO `l2_language` VALUES ('SS', 'Siswati');
586 INSERT INTO `l2_language` VALUES ('ST', 'Sesotho');
587 INSERT INTO `l2_language` VALUES ('SU', 'Sudanese');
588 INSERT INTO `l2_language` VALUES ('SV', 'Swedish');
589 INSERT INTO `l2_language` VALUES ('SW', 'Swahili');
590 INSERT INTO `l2_language` VALUES ('TA', 'Tamil');
591 INSERT INTO `l2_language` VALUES ('TE', 'Tegulu');
592 INSERT INTO `l2_language` VALUES ('TG', 'Tajik');
593 INSERT INTO `l2_language` VALUES ('TH', 'Thai');
594 INSERT INTO `l2_language` VALUES ('TI', 'Tigrinya');
595 INSERT INTO `l2_language` VALUES ('TK', 'Turkmen');
596 INSERT INTO `l2_language` VALUES ('TL', 'Tagalog');
597 INSERT INTO `l2_language` VALUES ('TN', 'Setswana');
598 INSERT INTO `l2_language` VALUES ('TO', 'Tonga');
599 INSERT INTO `l2_language` VALUES ('TR', 'Turkish');
600 INSERT INTO `l2_language` VALUES ('TS', 'Tsonga');
601 INSERT INTO `l2_language` VALUES ('TT', 'Tatar');
602 INSERT INTO `l2_language` VALUES ('TW', 'Twi');
603 INSERT INTO `l2_language` VALUES ('UK', 'Ukrainian');
604 INSERT INTO `l2_language` VALUES ('UR', 'Urdu');
605 INSERT INTO `l2_language` VALUES ('UZ', 'Uzbek');
606 INSERT INTO `l2_language` VALUES ('VI', 'Vietnamese');
607 INSERT INTO `l2_language` VALUES ('VO', 'Volapuk');
608 INSERT INTO `l2_language` VALUES ('WO', 'Wolof');
609 INSERT INTO `l2_language` VALUES ('XH', 'Xhosa');
610 INSERT INTO `l2_language` VALUES ('YO', 'Yoruba');
611 INSERT INTO `l2_language` VALUES ('ZH', 'Chinese');
612 INSERT INTO `l2_language` VALUES ('ZU', 'Zulu');
613
614
615 CREATE TABLE l2_licenses (
616     lic_id char(32) primary key,
617     name varchar(200) not null,
618     location varchar(200) not null,
619     description text not null,
620     version varchar(10) not null,
621     creator varchar(40) not null,
622     visibility tinyint(1) not null default 1,
623     modified int(10) unsigned not null,
624     INDEX (name)
625 ) ENGINE=InnoDB;
626
627
628 CREATE TABLE l2_log_session (
629     sessid char(32) not null primary key,
630     initial int(10) unsigned not null,
631     ip_addr varchar(32) not null,
632     hostname varchar(80) not null,
633     fromcom varchar(4) not null,
634     platform varchar(20) not null,
635     browser varchar(20) not null,
636     bversion varchar(5) not null,
637     bcss tinyint(1) not null,
638     bcookies tinyint(1) not null,
639     bframes tinyint(1) not null,
640     biframes tinyint(1) not null,
641     bjavascript tinyint(1) not null,
642     bjavapplet tinyint(1) not null,
643     blang varchar(5) not null,
644     referer tinytext not null
645 ) ENGINE=InnoDB;
646
647
648 CREATE TABLE l2_log_login (
649     user varchar(40) not null,
650     whenl int(10) unsigned not null,
651     success tinyint(1) not null default 0,
652     sessid char(32) not null,
653     INDEX (user)
```

```
654 ) ENGINE=InnoDB;
655
656
657 CREATE TABLE l2_log_upload (
658     user varchar(40) not null,
659     whens int(10) unsigned not null,
660     whene int(10) unsigned not null,
661     totalsize float(4,2) not null,
662     sessid char(32) not null,
663     viaftp tinyint(1) not null default 0,
664     INDEX (user)
665 ) ENGINE=InnoDB;
666
667
668 CREATE TABLE l2_log_download (
669     user varchar(40) not null default 'guest',
670     sessid varchar(32) not null,
671     whens int(10) unsigned not null,
672     whene int(10) unsigned not null,
673     filesize float(4,2) not null,
674     title_id mediumint(6) unsigned not null,
675     filenumber tinyint(2) not null,
676     type varchar(10) not null,
677     INDEX (user)
678 ) ENGINE=InnoDB;
679
680
681 CREATE TABLE l2_log_view (
682     user varchar(40) not null default 'guest',
683     sessid char(32) not null,
684     whenv int(10) unsigned not null,
685     content_id mediumint(6) unsigned not null,
686     INDEX (user)
687 ) ENGINE=InnoDB;
688
689
690 CREATE TABLE l2_log_rss20 (
691     vtype char(1) not null default 'm',
692     vspec varchar(40) not null,
693     viewip varchar(32) not null,
694     viewhost varchar(80) not null,
695     viewagent varchar(30) not null,
696     viewcount mediumint(6) not null,
697     lastview int(10) unsigned not null
698 ) ENGINE=InnoDB;
699
700
701
702 CREATE TABLE l2_log_admin (
703     whena int(10) unsigned not null,
704     user varchar(40) not null,
705     actions text not null,
706     alevel tinyint(1) not null,
707     referer varchar(200) not null,
708     INDEX (user)
709 ) ENGINE=InnoDB;
710
711
712
713 CREATE TABLE l2_log_help (
714     user varchar(40) not null default 'guest',
715     sessid char(32) not null,
716     whens int(10) unsigned not null,
717     whathelp varchar(60) not null,
718     act char(1) not null default 'v',
719     lang char(2) not null,
720     INDEX (user)
721 ) ENGINE=InnoDB;
722
723
724 CREATE TABLE l2_maincast (
725     cast_id char(32) primary key,
726     name varchar(100) not null,
727     description text not null,
728     dest_chan text not null,
729     dest_format text not null,
```

```
730     lic_id char(32) not null,
731     lic_country varchar(200) not null,
732     lic_durat tinyint(3) unsigned not null,
733     lic_durtype varchar(10) not null,
734     lic_contact text not null,
735     musage text not null,
736     INDEX (name)
737 ) ENGINE=InnoDB;
738
739
740
741 CREATE TABLE l2_profile_cli (
742     profile_id char(32) not null primary key,
743     maincast char(32) not null,
744     user varchar(40) not null,
745     id_by_user varchar(30) not null,
746     comp_name varchar(80) not null,
747     comp_addr text not null,
748     comp_web varchar(100) not null,
749     comp_tax varchar(40) not null,
750     comp_email varchar(100) not null,
751     userealname tinyint(1) not null default 0,
752     comp_tell varchar(20) not null,
753     comp_tel2 varchar(20) not null,
754     comp_fax varchar(20) not null,
755     payment varchar(30) not null,
756     prostatus varchar(200) not null,
757     exposure varchar(200) not null,
758     tvchannel varchar(200) not null,
759     medium varchar(200) not null,
760     bandwidth varchar(50) not null,
761     channel varchar(20) not null,
762     chanlock tinyint(1) not null default 0,
763     country char(2) not null,
764     countrylock tinyint(1) not null default 0,
765     public1 text not null,
766     public2 text not null,
767     INDEX (user)
768 ) ENGINE=InnoDB;
769
770
771 CREATE TABLE l2_profile_pub (
772     profile_id char(32) not null primary key,
773     user varchar(40) not null,
774     id_by_user varchar(30) not null,
775     comp_name varchar(80) not null,
776     comp_addr text not null,
777     comp_web varchar(100) not null,
778     comp_tax varchar(40) not null,
779     comp_email varchar(100) not null,
780     userealname tinyint(1) not null default 0,
781     comp_tell varchar(20) not null,
782     comp_tel2 varchar(20) not null,
783     comp_fax varchar(20) not null,
784     exposure varchar(200) not null,
785     publishes varchar(200) not null,
786     prostatus varchar(200) not null,
787     equipment text not null,
788     hardware text not null,
789     software text not null,
790     bandwidth varchar(50) not null,
791     ftpublish tinyint(1) not null default 0,
792     acception tinyint(1) not null default 0,
793     channel varchar(20) not null,
794     chanlock tinyint(1) not null default 0,
795     country char(2) not null,
796     countrylock tinyint(1) not null default 0,
797     public1 text not null,
798     public2 text not null,
799     INDEX (user)
800 ) ENGINE=InnoDB;
801
802
803 CREATE TABLE l2_transaction (
804     transit char(32) not null primary key,
805     title_id mediumint(6) unsigned not null,
```

```
806         cliprof char(32) not null,
807         pubprof char(32) not null,
808         money float(6,2) not null,
809         amount varchar(50) not null,
810         when int(10) unsigned not null,
811         whenp int(10) unsigned not null,
812         INDEX (title_id)
813 ) ENGINE=InnoDB;
814
815
816 CREATE TABLE l2_tvchannel (
817     name varchar(60) not null,
818     country varchar(60) not null,
819     INDEX name (name)
820 ) ENGINE=InnoDB;
821
822
823 CREATE TABLE l2_users (
824     user varchar(40) not null primary key,
825     pass char(32) not null,
826     access tinyint(1) not null default 0,
827     firstname varchar(40) not null,
828     lastname varchar(40) not null,
829     email varchar(100) not null,
830     website varchar(100) not null,
831     telephone1 varchar(20) not null,
832     telephone2 varchar(20) not null,
833     telephone3 varchar(20) not null,
834     post_addr varchar(200) not null,
835     post_nro varchar(8) not null,
836     post_area varchar(40) not null,
837     ucountry char(2) not null,
838     nativelang char(2) not null,
839     deflang char(2) not null default 'EN',
840     year_birth smallint(4) unsigned not null,
841     uquota mediumint(5) unsigned not null default 0,
842     date_register int(10) unsigned not null,
843     date_modif int(10) unsigned not null,
844     taxnumber varchar(40) not null,
845     activeprofile char(32) not null,
846     public1 text not null,
847     public2 text not null
848 ) ENGINE=InnoDB;
849
850
851 CREATE TABLE l2_muxenclist (
852     itemid char(32) primary key,
853     titlenumber mediumint(6) unsigned not null,
854     filenumber tinyint(2) unsigned zerofill not null,
855     filevideo varchar(200) not null,
856     fileaudio varchar(200) not null,
857     outformat varchar(40) not null,
858     added int(10) unsigned not null,
859     errorrm tinytext not null,
860     deletion tinyint(1) not null,
861     INDEX added (added)
862 ) ENGINE=InnoDB;
863
864 CREATE TABLE l2_newreg (
865     user varchar(40) primary key,
866     wantlevel tinyint(1) unsigned not null,
867     INDEX wantlevel (wantlevel)
868 ) ENGINE=InnoDB;
869
870
```